CONTENTS OF VOLUME 28 (1987)—ACTA RADIOLOGICA

Editorial 1

Complications after percutaneous transluminal angioplasty of peripheral and renal arteries
D. Bergqvist, K. Jonsson and H. Weibull 3

Magnetic resonance imaging in primary amyloidosis
L. Benson, A. Hemmingsson, A. Ericsson, B. Jung, G. Sperber, K.-Å. Thuomas and P. Westermark 13

The labyrinthine portion of the facial canal—A comparative radioanatomic investigation
K. Wadin and H. Wilbrand 17

The labyrinthine portion of the facial canal in patients with Bell's palsy investigated by computed tomography
K. Wadin, L. Thomander and H. Wilbrand . . . 25

Radiography and ultrasonography in paranasal sinusitis C. Jensen and C. von Sydow 31

Pharyngeal function in patients with rheumatoid arthritis of the cervical spine and temporomandibular joint
O. Ekberg, I. Redlund-Johnell and K. G. Sjöblom 35

Computed tomography in early diagnosis of local recurrence of rectal carcinoma
B. Adalsteinsson, L. Påhlman, A. Hemmingsson, B. Glimelius and S. Graffman 41

Chest radiography in the carcinoid syndrome
B. Thorvinger, C. Lundstedt and H. Mårtensson 49

Chest radiography after minor chest trauma
B. Rossen, N. O. Laursen and S. Just 53

Computed tomography after percutaneous renal stone extraction
K. Geterud, Ch. Henriksson, S. Pettersson and B. F. Zachrisson 55

Use of $^{99}Tc^{m}$ radionuclides to show nephrotoxicity of cyclosporin A in transplanted kidneys
H. S. Thomsen and O. Munck 59

Artificial urinary sphincters—Radiographic evaluation
T. Lorentzen, S. Dorph and T. Hald 63

Contrast-enhanced computed tomography in carcinoma of the urinary bladder—The use of different injection methods
E. M. Sager, S. D. Fosså, O. Kaalhus and K. Talle 67

Computed tomography of humeral head cup arthroplasties—A preliminary report
N. Egund, E. Jonsson, L. Lidgren, I. Kelly and H. Pettersson 71

Gadolinium-DTPA enhancement of experimental soft tissue carcinoma and hemorrhage in magnetic resonance imaging
H. Pettersson, N. Ackerman, J. Kaude, R. E. Googe, A. A. Mancuso, K. N. Scott, R. H. Hackett, D. A. Hager and S. Caballero 75

Magnetic resonance imaging of local soft tissue inflammation using gadolinium-DTPA
H. Paajanen, R. C. Brasch, U. Schmiedl and M. Ogan 79

A normal variant simulating Freiberg's disease
E. Legarth Jensen and A. De Carvalho 85

Effect of ionic and non-ionic contrast media on aggregation of red blood cells in vitro—A preliminary report
R. Raininko and S.-L. Ylinen 87

Adverse reactions following two separate intravascular injections of contrast media in the same patient—A comparison between iohexol and monomeric ionic media
E. E. Sogn, T. Ødegård, T. Haider and E. Andrew 93

Cytotoxic effects of six angiographic contrast media on human endothelium in culture
F. Laerum 99

Double blind evaluation of the effects of various contrast media on extremity veins in the dog
F. Laerum, L. P. Dehner, J. Rysavy and K. Amplatz 107

Balloon catheter dilatation of stenotic common bile duct anastomosis in the pig—A preliminary investigation
U. Nilsson, L. Ekelund, L.-E. Hammarström, T. Holmin and N. Jonsson 115

Clinically acceptable tolerance of roentgen generator exposure parameters
H. Forsberg 121

The upper urinary tract—Pyelography and interventional procedures
H. S. Thomsen and S. Dorph 129

The spleen in non-Hodgkin lymphoma—Diagnostic value of computed tomography
S. P. Strijk, C. Boetes, M. J. J. T. Bogman, B. E. de Pauw and Th. Wobbes 139

Magnetic resonance imaging for assessment of treatment effects in mediastinal Hodgkin's disease

R. Nyman, S. Rehn, B. Glimelius, H. Hagberg, A. Hemmingsson and B. Jung 145
Site and number of liver tumors recorded at angiography and computed tomography compared with the findings at laparotomy and of resected liver specimens
C. Lundstedt, H. Ekberg, A. Lunderquist and K. G. Tranberg 153
Ultrasound diagnosis of liver hydatid disease
N. Gürses, R. Sungur, N. Gürses and K. Özkan 161
Ultrasonography and scintigraphy of the liver in focal and diffuse disease
L. Henriksson and U. Kelter 165
Influence of section spacing on reliability of abdominal computed tomography in early stage non-seminomatous testicular tumor
H. H. Lien, A. E. Stenwig, S. Ous and S. D. Fosså 169
The upper esophageal sphincter area
O. Ekberg and C. Lindström 173
Esophageal carcinoma—Radiologic appearance of minimal lesions
G. Cozzi, M. Bellomi, M. Gariboldi, C. Ostinelli, C. Lo Gullo, G. Ravasi and A. Severini . . 177
Asymptomatic leiomyosarcoma of the inferior vena cava—Incidental finding at ultrasonography
C.-G. Cederlund and R. Edin 181
Radiographic changes in the condyle of the temporomandibular joint in psoriatic arthritis
M. Könönen 185
Intermittent cerebrospinal liquorrhea—Cerebral computed tomography in the non-drop period
M. Fagerlund and B. Liliequist 189
Conventional radiography in transient synovitis of the hip in children
N. Egund, Y. Hasegawa, H. Pettersson and H. Wingstrand 193
Magnetic resonance imaging in diffuse malignant bone marrow disease
R. Nyman, S. Rehn, B. Glimelius, H. Hagberg, A. Hemmingsson, B. Jung, B. Simonsson and C. Sundström 199
Arterial wall stiffness in insulin-dependent diabetes mellitus—An in vivo study
T. Christensen and B. Neubauer 207
Addition of local anesthetics to contrast media—I—Effects on patient discomfort and hemodynamics in aortofemoral angiography
P. Nilsson, T. Almén, K. Golman, K. Jonsson and U. Nyman 209
Effect of repeated normothermic ischaemia on normal liver parenchyma—An experimental study in pigs
H. Stridbeck, T. Holmin and I. Hägerstrand . . 215
Biologic effects of ultrasound on liver cells of rat embryos
A. Cardinale, R. Lagalla, M. de Maria, B. Valentino, D. Cabibi and A. Laconi 221
Comparison of the accumulation kinetics of L-(methyl-^{11}C)-methionine and D-(methyl-^{11}C)-methionine in brain tumors studied with positron emission tomography
M. Bergström, H. Lundqvist, K. Ericson, A. Lilja, P. Johnström, B. Långström, H. von Holst, L. Eriksson and G. Blomqvist 225
Computed tomography of the cerebellopontine cistern in normal and acoustic tumor patients
M. Fagerlund 231
Computed tomography of intraorbital foreign bodies
S. Lindahl 235
Venous thrombosis after cardiac catheterization in infants
S. Laurin and N.-R. Lundström 241
Digital subtraction angiography in Takayasu arteritis
N. Matsunaga, H. Hayashi, H. Aikawa, M. Uetani, M. Iwao, Y. Matsuoka, A. Hombo, T. Fukushima and H. Maeda 247
Magnetic resonance imaging, chest radiography, computed tomography and ultrasonography in malignant lymphoma
R. Nyman, S. Rehn, B. Glimelius, H. Hagberg, A. Hemmingsson, P. G. Lindgren and A. Magnusson 253
Lymphography and abdominal computed tomography in the staging of non-Hodgkin lymphoma—With an analysis of discrepancies
S. P. Strijk 263
Shape of retroperitoneal lymph nodes at computed tomography does not correlate to metastatic disease in early stage non-seminomatous testicular tumors
H. H. Lien, L. Lindsköld, A. E. Stenwig, S. Ous and S. D. Fosså 271
Intra-arterial injection of adriamycin/mitomycin C Lipiodol suspension in liver metastases
H. Kobayashi, H. Inoue, J. Shimada, T. Yano, T. Maeda, T. Oyama and S. Shinohara 275
Ultrasound examination in diffuse liver disease—Clinical significance of enlarged lymph nodes in the hepato-duodenal ligament
L. Forsberg, C. H. Florén, E. Hederström and H. Prytz 281
Etiologic significance of anatomic variations in the main intrahepatic bile ducts in hepatolithiasis
A. Koga, K. Watanabe, S. Takiguchi, K. Miyazaki and F. Nakayama 285
Comparison of endoscopic retrograde pancreatography with functional and histologic changes in chronic pancreatitis
H. A. Heij, H. Obertop, M. van Blankenstein, G. A. J. J. Nix and D. L. Westbroek 289
Radiologic diagnosis of gastro-oesophageal reflux

—Comparison of barium and low-density contrast medium
S.-G. Fransson, H. Sökjer, K.-E. Johansson and L. Tibbling 295
Percutaneous transsplenic embolization of esophageal varices in a 5-year-old child
G. Rasinska, K. Wermenski and P. Rajszys . . . 299
Preoperative renal tumor embolization—A useful procedure?
A.-R. Fischedick, P. E. Peters, G. Kleinhaus and E. Pfeifer 303
Contrast-enhanced computed tomography to show perivesical extension in bladder carcinoma
E. M. Sager, K. Talle, S. D. Fosså, S. Ous and A. E. Stenwig 307
Angiography in non-functioning renal allografts receiving cyclosporin A
H. S. Thomsen, H. Rygaard, S. L. Nielsen, S. Larsen and H. Løkkegaard 313
Therapeutic value of hysterosalpingography with Lipiodol ultra fluid
F. Rasmussen, P. Justesen and D. Tønner Nielsen 319
Light and electron microscopic observations in atherosclerotic rabbits following experimental transluminal angioplasty
Y. Korogi and M. Takahashi 323
Effects of intravascular contrast media on blood-brain barrier—Comparison between iothalamate, iohexol, iopentol and iodixanol
Å. Aulie Michelet 329
Urinary protein profiles following urography with iothalamate—A preliminary report
P. Skaarup and H. S. Thomsen 335
Sensitometric control of roentgen film processors
H. Forsberg 339
Evaluation of relaxation time measurements by magnetic resonance imaging—A phantom study
L. Kjær, C. Thomsen, O. Henriksen, P. Ring, M. Stubgaard and E. J. Pedersen 345
In vivo measurement of water self diffusion in the human brain by magnetic resonance imaging
C. Thomsen, O. Henriksen and P. Ring 353
Magnetic resonance relaxation characteristics of muscle, fat and bone marrow of the extremities —Normal values in a low field strength unit
H. Pettersson and R. Slone 363
Alternating use of ^{123}I and ^{131}I hippuran for routine postoperative monitoring of transplanted kidneys is impracticable
H. S. Thomsen, K. Hvid-Jacobsen and S. L. Nielsen 365
Magnetic resonance imaging of intracranial neoplasms at 0.02 tesla
M. Kormano, R. Raininko and K. Katevuo . . . 369
Technical aspects on magnetic resonance imaging of the spine at 1.5 tesla
S. L. Holtås, D. B. Plewes, J. H. Simon, S. Ekholm, D. K. Kido and R. Utz 375
Spinal pseudarthrosis in ankylosing spondylitis
F. L. Chan, E. K. W. Ho, D. Fang, L. C. S. Hsu, J. C. Y. Leong and H. Ngan 383
Radiologic observations in severe neonatal respiratory distress syndrome treated with the isolated phospholipid fraction of natural surfactant
W. Mortensson, G. Noack, T. Curstedt, P. Herin and B. Robertson 389
Computed tomography of anterior mediastinal tumors—Differentiation between thymoma and germ cell tumor
K. Mori, K. Eguchi, H. Moriyawa, N. Miyazawa and T. Kodama 395
Computed tomography of the thymus gland in myasthenia gravis
B. Thorvinger, K. Lyttkens and L. Samuelsson 399
Mediastinal involvement in adults with lymphoblastic lymphoma
E. E. Schwartz, J. F. Conroy and H. Bonner . . 403
Pharyngeal dysfunction after total and subtotal oesophagectomy
G. Hambraeus, O. Ekberg and R. Fletcher . . . 409
Computed tomography following endoscopic sclerotherapy of esophageal varices
J. Ikezoe, S. Morimoto, M. Akira, J. Arisawa, S. Takashima, K. Tomoda, K. Nakanishi, K. Kasowaki, T. Kozuka, H. Shiozaki and Y. Ogawa 415
Accuracy of radiologic and endoscopic diagnosis of gastric ulcer
T. Gjørup, E. Agner, L. Bording Jensen, A. Mørup Jensen and K.-M. Møllermann 421
Transcatheter embolization for treatment of acute lower gastrointestinal bleeding
R. Uflacker 425
Radiologic diagnosis of liver metastases in colo-rectal carcinoma—Prospective evaluation of the accuracy of angiography, ultrasonography, computed tomography and computed tomographic angiography
C. Lundstedt, H. Ekberg, E. Hederström, H. Stridbeck, B. Torfason and K.-G. Tranberg . . 431
Spleen/liver ratio in RES-scintigraphy—A comparison between posterior registration and emission computed tomography
L. Friman and B. Söderborg 439
Distribution of renal scars and intrarenal reflux in children with a past history of urinary tract infection
L. Hannerz, I. Wikstad, L. Johansson, O. Broberger and A. Aperia 443

Computed tomography in renal replacement lipomatosis
B. KULLENDORFF, U. NYMAN and P. ASPELIN . . . 447
Does cerebral angiography of cadaveric kidney donors interfere with graft function?
H. WEIBULL, C. CEDERHOLM, T. ALMÉN, D. BERGQVIST, R. TAKOLANDER and B. HUSBERG 451
Sonography in differential diagnosis of deep venous thrombosis of the leg
H. J. ARONEN, M. PAMILO, H. T. SUORANTA and I. SURAMO 457
Digital radiography of the chest by self-scanning linear diode arrays
B. S. SLASKY, D. SASHIN, J. A. HORTON, E. J. STERNGLASS, K. M. BRON, M. DEUTSCH, J. M. HERRON, W. H. KENNEDY, J. W. BOYER, B. R. GIRDANY, R. W. SIMPSON, R. J. HOY and J. H. FEIST 461
Intraarterial doxorubicin infusion treatment with and without occlusion of the renal artery in rabbit renal VX-2 carcinoma—Establishing an animal model
G. GADEHOLT and J. H. GÖTHLIN 467
Formation of potential antigens from radiographic contrast media
R. NILSSON, L. EHRENBERG and I. FEDORCSAK . . 473
Gadolinium-DTPA enhancement of VX-2 carcinoma in the rabbit kidney on T1 weighted magnetic resonance images
J. M. YANCEY, N. ACKERMAN, J. V. KAUDE, R. E. GOOGE, J. R. FITZSIMMONS, K. N. SCOTT, A. A. MANCUSO, R. L. HACKETT, D. A. HAGER and S. CABALLERO 479
Radiation dose and somatic risk from computed tomography
K. FAULKNER and B. M. MOORES 483
Persisting intraventricular fat-fluid levels following surgery on a ruptured dermoid cyst of the posterior fossa
E.-M. LARSSON, L. BRANDT and S. HOLTÅS 489
Digital subtraction angiography with bandpass filtration during by-pass operation
M. KEHLER, G. SVAHN, A. ALWMARK and L. NORGREN 491
Book reviews 495
Oblique views in magnetic resonance imaging of the heart by combined axial rotations
A. C. VAN ROSSUM, F. C. VISSER, M. J. VAN EENIGE, J. VALK and J. P. ROOS 497
Application of a kinetic model on the methionine accumulation in intracranial tumours studied with positron emission tomography
K. ERICSON, G. BLOMQVIST, M. BERGSTRÖM, L. ERIKSSON and S. STONE-ELANDER 505
Percutaneous phenol block of the upper thoracic sympathetic chain with computed tomography guidance—A new technique
R. F. DONDELINGER and J. C. KURDZIEL 511
Breast necrosis associated with thromboembolic disorders
I. ANDERSSON, D. D. ADLER and O. LJUNGBERG . . 517
Excretion of iohexol and metrizoate in human breast milk
S. T. NIELSEN, I. MATHESON, J. N. RASMUSSEN, K. SKINNEMOEN, E. ANDREW and G. HAFSAHL 523
An attempt to characterize malignant lymphoma in spleen, liver and lymph nodes with magnetic resonance imaging
R. NYMAN, S. RHEN, A. ERICSSON, B. GLIMELIUS, H. HAGBERG, A. HEMMINGSSON and C. SUNDSTRÖM 527
Angiography, computed tomography, magnetic resonance imaging and ultrasonography in detection of liver metastases from endocrine gastrointestinal tumours
T. ANDERSSON, B. ERIKSSON, A. HEMMINGSSON, P. G. LINDGREN and K. ÖBERG 535
Ultrasonically guided fine-needle aspiration biopsy in focal pancreatic lesions
M. TAAVITSAINEN, A. KOIVUNIEMI, S. BONDESTAM, L. KIVISAARI and E. TIERALA 541
Postrenal segment aneurysm and infrahepatic interruption of the inferior vena cava—A case report
M. G. STIRIS and A. M. FINNAGER 545
Sensitivity of ^{111}In-granulocyte scintigraphy in various focal infections
M. T. SYRJÄLÄ, K. LIEWENDAHL, V. VALTONEN, M. TAAVITSAINEN and J. GRIPENBERG 549
Radiographic findings after cricopharyngeal myotomy
O. EKBERG, J. BESJAKOV and S. LINDGREN 555
Videodefaecography combined with measurement of the anorectal angle and of perineal descent
E. SKOMOROWSKA, S. HENRICHSEN, J. CHRISTIANSEN and V. HEGEDÜS 559
Herniographic appearance of the lateral inguinal fossa
O. EKBERG and P. KESAK 563
Adverse reactions to iotroxate at intravenous cholangiography—A prospective clinical investigation and review of the literature
U. NILSSON 571
Low dose pelvimetry with biplane digital radiography
H. LOTZ, L. EKELUND, S.-O. HIETALA, L. ERIKSSON, D.-E. WIKLUND and G. WICKMAN 577
Renal function measured by x-ray fluorescence analysis—A comparison between contrast medium clearance and non-simultaneous ^{51}Cr-EDTA clearance
M. BOIJSEN, L. JACOBSSON and U. TYLÉN 581
Estimating kidney function during urography—Comparison of contrast medium clearance and simultaneous ^{51}Cr-EDTA clearance

S. Sjöberg, S. Hellsten, T. Almén, K. Golman and T. Grönberg 587
Comparison of ionic and non-ionic nitroxide spin labels for urographic enhancement in magnetic resonance imaging
W. Grodd, H. Paajanen, U. G. Eriksson, D. Revel, F. Terrier and R. C. Brasch 593
Proton T1 relaxation time of normal and abnormal urine
A. Alanen, P. Nummi, M. Kormano and K. Irjala 601
A simplified roentgen stereophotogrammetric method —Analysis of small movements between the prosthetic stem and the femur after total hip replacement
K. Djerf, P. Edholm and J. Hedbrant 603
Correlation between radiologic and clinical findings in Charnley total hip replacement—A 10-year follow-up study
B. Wejkner and M. Wiege 607
Conventional spinal radiography as a supplement to the neurologic assessment in myelomeningocele
L. Samuelsson and O. Eklöf 615
Magnetic resonance imaging in hemophilic arthropathy of the knee
H. Pettersson, T. Gillespy, C. Kitchens, T. Kentro and K. N. Scott 621
Anatomic variations of the accessory soleus muscle
R. Lorentzon and S. Wirell 627
$^{99}Tc^{m}$-MDP and $^{99}Tc^{m}$-DPD in pathologic bone lesions—A visual and quantitative comparison
T. Lantto, M. Vorne, R. Mokka and S. Vähätalo 631
Blood flow determinations utilizing digital densitometry
J. F. Lois, N. J. Mankovich and A. S. Gomes . . 635
Determination of flow velocities from magnetic resonance multiple spin-echo images—A phantom study
F. Ståhlberg, O. Henriksen, C. Thomsen, M. Stubgaard and B. Persson 643
Vasoactivity of verapamil in the canine hindlimb and sympathetic nervous system interaction
K. M. Dalessandri and B. M. T. Lantz 649
Combination of DMSA-scintigraphy and hippuran renography in unilateral obstructive nephropathy —Improved prediction of recovery after intervention
H. S. Thomsen, K. Hvid-Jacobsen, H.-H. Meyhoff and S. L. Nielsen 653
Abstracts of Theses 656
The Symposium Neuroradiologicum
T. Greitz 657
Contrast enhanced magnetic resonance imaging of the brain using gadolinium-DTPA
J. Valk, R. G. M. de Slegte, F. C. Crezee, G. J. Hazenberg, S. I. Thjaha and J. J. P. Nauta . . . 659
Magnetic resonance imaging in small lesions of the central nervous system—Improvement by gadolinium-DTPA
G. Schroth, W. Grodd, L. Guhl, M. Grauer, U. Klose and H.-P. Niendorf 667
Positron emission tomography with ^{11}C-methionine and computed tomography of intracranial tumours compared with histopathologic examination of multiple biopsies
M. Mosskin, H. von Holst, M. Bergström, V. P. Collins, L. Eriksson, P. Johnström and G. Norén 673
Treatment of direct carotid-cavernous fistulas with detachable balloons
B. Berthelsen and P. Svendsen 683
Computed tomography of the submandibular salivary glands
S. G. Larsson, R. B. Lufkin and L. A. Hoover . 693
Hepatic cavernous hemangioma in patients at high risk for liver cancer
Y. Itai, S. Ohnishi, K. Ohtomo, T. Kokubo, M. Imawari and Y. Atomi 697
Relaxation enhancement of the dog liver and spleen by biodegradable superparamagnetic particles in proton magnetic resonance imaging
A. Hemmingsson, J. Carlsten, A. Ericsson, J. Klaveness, G. O. Sperber and K.-Å. Thuomas . 703
Effects of metrizoate and iohexol on the liver at visceral angiography
Å. Billström, S.-O. Hietala and S. Wirell . . . 707
Ultrasonography in carcinoma of the gallbladder
M. Soiva, K. Aro, M. Pamilo, M. Päivänsalo, I. Suramo and M. Taavitsainen 711
Ultrasonography in carcinoma of the gallbladder —Diagnostic difficulties and pitfalls
E. Hederström and L. Forsberg 715
Digitized intra-operative video-fluoroscopy cholangiography—An analysis of 100 cases
F.-T. Fork, L. Bååth, A. Borgström, G. Nylander and T. Olin 719
Aspiration biopsy of the spleen in patients with sarcoidosis
M. Taavitsainen, A. Koivuniemi, J. Helminen, S. Bondestam, L. Kivisaari, M. Pamilo, E. Tierala and H. Tiitinen 723
Mesenteric panniculitis
F. Gudinchet and P. Schnyder 727
Radiologic quantitation of gastro-oesophageal reflux —Correlation between height of food stimulated gastro-oesophageal reflux and level of histologic changes in reflux oesophagitis
T. Christiansen, P. Funch-Jensen, N. O. Jacobsen and P. Thommesen 731
Radiologic and endoscopic diagnosis of duodenal angioma
B. Plavšić and B. Jereb-Prović 735

Computed tomography of malignant ovarian disease
B. THORVINGER, L. SAMUELSSON and J. SKJAERRIS 739
Diagnostic value of ultrasonography in hydatid disease in abdomen and chest
C. S. PANT and R. K. GUPTA 743
Chest radiography and computed tomography in the evaluation of mediastinal adenopathy in lymphoma
O. SALONEN, L. KIVISAARI, C.-G. STANDERTSKJÖLD-NORDENSTAM, K. OKSANEN and K. LAPPALAINEN 747
Horseshoe lung with multiple congenital anomalies —Case report and review of the literature
N. D. HAWASS, M. G. BADAWI, J. A. FATANI, A. A. MESHARI and Y. B. EDREES 751
Disc degeneration in the thoracolumbar junctional region—Evaluation by radiography and discography in autopsy
A. MALMIVAARA 755
Hemodynamic effect of percutaneous transluminal angioplasty for lower limb atherosclerosis—A study based on pulsed Doppler ultrasound flowmetry
J. J. JØRGENSEN, E. STRANDEN and T. GJØLBERG 761
Iohexol and ioxaglate in peripheral angiography
M. G. STIRIS and F. LAERUM 767
Spatial distribution of dose in computed tomography with special reference to thin-slice techniques
U. MOSTRÖM and C. YTTERBERGH 771
Attenuation values, volume changes and artifacts in tissue due to freezing
P. PECH, K. BERGSTRÖM, W. RAUSCHNING and V. M. HAUGHTON 779
Demonstration of the thoracic duct by ^{123}I heptadecanoic acid—Report of a case
K. HVID-JACOBSEN, S. L. NIELSEN, V. J. JENSEN and H. S. THOMSEN 783